



PATHRON

S N O W B O A R D S



CATALOG
2022/2023

An aerial, black and white photograph of a snowboarder descending a steep, snowy mountain slope. The snowboarder is positioned in the lower right quadrant, leaving a trail of snow behind them. The terrain is marked with numerous tracks and ridges, creating a complex, organic pattern across the entire frame.

WHY ARE **OUR BOARDS** SO UNIQUE?

Our goal was to create high-end snowboards using all advanced technologies the best snowboard factories can offer. We packed it all into transparent designs and created ultra performance machines for taming any terrain.

The Pathron premium wood cores, despite being extremely light, sacrifice nothing in strength or durability. They are light, but more importantly offers unique memory retention and has been built up in the edge areas to give you what could possibly be one of the best freeride and freestyle rides ever.




SNOWBOARDS




SNOWBOARDS TECHNOLOGIES

PROFILE




CLASSIC CAMBER PROFILE

Our classic camber snowboards have 15 mm of camber underneath. It offers a very good edge control. The camber shape provides precision turning on finely groomed runs of hard-packed snow but also offers increased hold in the half pipe as it can bend with the curvature of the ramp walls. The unique shape of the camber snowboard has the ability to absorb the landing impact of high-altitude tricks.




FLATROCKER PROFILE

Flat section between the bindings, with rocker in the tip and tail from the bindings out. The flat part of the board offers better edge grip than rocker and better maneuverability than camber. The rocker sections bring the tip and tail up and off the snow, shortening the contact length of the edges and making turns easier. Your ride becomes more nimble and maneuverable. You can slash the snow, slide sideways to scrub speed, smear and butter turns.



HYBRID CAMBER PROFILE

It offers great ollie-pop, is more forgiving than the classic camber profile and allows quick and grippy edge-to-edge turns.




CAMROCKER PROFILE

Micro camber between the bindings, with rocker in the tip and tail from the bindings out. One of the key advantages of this board profile is its advanced performance on slopes that are covered with freshly fallen snow. The unique shape of our 3-Stage Rocker design permits the snowboard to rock back and forth during jibbing tricks but it's also great for beginners as it helps prevent you from catching an edge.



FULL ROCKER PROFILE


Full Rocker, It's a good choice for those riders who like riding in the park. It's a versatile option, super stable for riding rails. It requires less ollie force to get it in the air compared to a traditional board, is more manoeuvrable and less likely to catch an edge.



HYBRID ROCKER PROFILE

It's a good choice for those riders who like the best of both worlds. Reverse camber between the feet keep it loose, playful and floaty, while positive camber in the nose and tail deliver a ton of pop and stability and edge hold. Camrocam offers great float in powder and a catch-free freestyle performance. It feels more like a rockered board than a cambered board when you ride it.

SHAPE




DIRECTIONAL SHAPE

The board has a longer nose and shorter tail and have a stance that is set back from the center of the board. We also used an asymmetrical flex pattern, with stiffer tails for carving better turns and keeping afloat through choppy snow and powder.




TWIN SHAPE

The binding inserts are set back, the flex is even, the sidecut is radial, the tip and tail are exactly the same width and length.



DIRECTIONAL TWIN SHAPE

The binding inserts are set back, the flex is even, the sidecut is radial, the tip and tail are exactly the same width but the nose is longer than the tail.



TRUE TWIN SHAPE

A true twin shape means the board is 100% symmetrical – the stance is centered, the flex is even, the sidecut is dual-progressive, the tip and tail are exactly the same width and length.

LAMINATION



HIGH DENSITY BIAx FIBERGLASS LAMINATE

Our lightweight high density premium biaxial laminates not only possess all the advantages of our standard biaxial laminates but also provide additional stability, offer over 10% more pop and over 5% more torsional and longitudinal stiffness comparing to the standard laminates.



HIGH DENSITY TRIAX FIBERGLASS LAMINATE

Light-weight, multi axis, stitched fiberglass laminate that provides excellent torsional and longitudinal rigidity, great pop and response for a precise controlled ride.



HIGH DENSITY QUADRAX FIBERGLASS LAMINATE

Quadrax fiberglass brings all advantages of triaxial fiberglass that is torsional and longitudinal rigidity and adds lateral bending stiffness.



CARBON LAMINATE

The carbon topsheet lamination gives the board very good torsional stiffness, great stability, good power transmission, and edge grip.

BASE



EXTRUDED BASE

Extruded bases are easy and cheap to maintain. They do not need to be waxed much. We only use the best quality Austrian bases made by the leading company – Isosport.



GRAPHITE BASE


The Sintered NHS Graphite Race base is currently the hardest and fastest base on the market. It's based on a sintered base mixed with graphite, black carbon and nano additives.



SINTERED BASE

One of the fastest base in the industry. The IS7200/IS7500 sintered base is mixed with graphite, black carbon and Nano additives. The Nano additives take in heat then expel the heat to melt the snow. This creates less surface tension and more glide.

REINFORCEMENT




CARBON STRINGERS
Carbon stringers are added to selected models to improve pop, torsional stiffness and to add response to your edges and your ollies.




TASMANIAN OAK
Tasmanian oak is a species of Eucalyptus, a premium Australian hardwood timber growing mainly in the mountainous areas of Tasmania. It's known for its high resilience and extraordinary hardness.



CONCAVE CROSS-PROFILE
In order to achieve the lowest possible weight of our carbon boards and keep the stiffness across the whole size range on the same level, we've developed a concave base. It also reduces the loose, 'surfy' feel and makes it more stable.




POWER PLATES
Additional biax fiberglass power plates underneath the bindings region improve the power transfer to the edges and offer great damping properties.




BEECH STRINGERS
Beech wood is stiff and resistant to compression, making it a great choice to reinforce the snowboard core.

EDGES



HARDENED STEEL EDGES (HSE)
Our boards use the hardest steel edges available along the whole perimeter. They provide maximum durability and tuning longevity.




ULTRA EDGE HOLD (UEH)
Our technology combines two intersecting sidecuts with additional contact points. The additional contact points arcs are located just outside the binding mounting area. They add quickness and control at slow speeds, and edge control at high speeds.




STURDY EDGE TECH (SET)
Thicker and tougher than standard edges, providing much more impact resistance and preparing our boards for abuse of rails, boxes and jibs. They are made with the hardest steel available and run along the whole perimeter.

CORE



POPLAR WOOD CORE
Super strong, super light, low moisture ratio core. You may believe us or not but we really do control precisely every single tree before it's changed into vertically laminated wood strips. This ensures each board has exactly the same amount of pop and flex. The German glue used for gluing the wood strips is made of only the best natural components and this is the reason why our boards never delaminate and it makes our boards eco-friendly.

SIDEWALL




ABS SIDEWALL
Sidewall structure is responsible for the power transmission to the edges. It also supports and reinforces the top edge and absorbs shocks. In order to better protect the core against external damages and penetrating the moisture into the core, our sidewalls are made only from the best quality high molecular bonding ABS produced in Austria. Our long time experience shows that 30 degrees sidewalls improve power transfer over the edge and offer better vibration damping.

DESIGN



TRANSPARENT DESIGN
We think you should see what you get and we made all technologies like x-carbon/kevlar, triaxial fiberglass and premium woodcores visible to you.

FLEX



SNOWBOARD FLEX
Our board flexes are based on a scale of soft – stiff.





PLAY

Type: Freestyle
Lengths: 146, 150, 153, 155
Profile: Camrock
Shape: True Twin
Lamination: Biax
Base: Sintered
Reinforcement: Carbon/Kevlar
Flex: Soft
Level: Intermediate/Advanced

Play is a purists freestyle board. The Polish slopestyle champion Piotrek 'The Aviator' Tokarczyk rides it and says he wants no other. Why? Because he helped design it to meet his demanding needs as a pro snowboarder. He chose the flex, the pop, shape and profile to ensure the Play won't let him down on bigger jumps, or when jibbing - it won't let you down either.


TECHNOLOGIES



POPLAR WOOD CORE




ABS SIDEWALL



CAMROCKER PROFILE



TRUE TWIN SHAPE




BIAX LAMINATION



SINTERED BASE



CARBON REINFORCEMENT



HARDENED STEEL EDGES

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
146	288	248	288	1106	7,6	0	480-600
150	292	251	292	1146	7,7	0	500-620
153	295	252	295	1176	7,8	0	500-620
155	297	253	297	1201	7,9	0	520-640














SLASH

Type: Freestyle
Lengths: 155, 157w
Profile: Flatrocker
Shape: True Twin
Lamination: Triax
Base: Sintered
Reinforcement: Beech Stringers
Flex: Soft
Level: Intermediate/Advanced

The Slash rocks the piste this year with a new profile - Flatrocker. It is flat between bindings with rocker outside the bindings, creating the most forgiving profile in the Pathron range. For the first time Pathron have combined European poplar with beech stringers - one of the toughest trees in the world - to generate great pop for a flexible board. Similar to the Play, but softer and with a Flatrock profile, the Slash is a forgiving, flexible and all about freestyle.


TECHNOLOGIES

-  **POPLAR WOOD CORE**
-  **ABS SIDEWALL**
-  **FLATROCKER PROFILE**
-  **TRUE TWIN SHAPE**
-  **TRIAx LAMINATION**
-  **SINTERED BASE**
-  **BEECH STRINGERS**
-  **HARDENED STEEL EDGES**
-  **TRANSPARENT DESIGN**

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
155	289	250	289	1110	8,3	0	500-620
157w	310	262	310	1110	6,6	0	510-630














TT

Type: Allmountain/Freestyle
Lengths: 152, 155, 158, 161, 156W, 159W, 162W, 168W
Profile: Flatrocker
Shape: True Twin
Lamination: Triax
Base: Extruded
Reinforcement: Beech Stringers
Flex: Medium
Level: Intermediate/Advanced

The new TT provides great performance for freestyle-oriented riders looking to rip the park and mountain with ease. It's packed with technical features and has a smooth, even flex, plus the perfect sidecut for predictable transitions.

TECHNOLOGIES

-  **POPLAR WOOD CORE**
-  **ABS SIDEWALL**
-  **FLATROCKER PROFILE**
-  **TRUE TWIN SHAPE**
-  **TRIAx LAMINATION**
-  **EXTRUDED BASE**
-  **BEECH STRINGERS**
-  **HARDENED STEEL EDGES**
-  **TRANSPARENT DESIGN**

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
152	287	247	287	1080	7,7	0	480-600
155	289	250	289	1110	8,3	0	500-620
158	290	253	290	1140	9,3	0	520-640
161	295	256	295	1170	9,1	0	540-660
156W	310	262	310	1110	6,6	0	510-630
159W	312	264	312	1140	7	0	530-650
162W	314	266	314	1170	7,4	0	540-660
168W	319	268	319	1225	7,6	0	560-680






SENSEI BLUE


Type: Allmountain/Freestyle
Lengths: 155w, 158w
Profile: Hybrid Rocker
Shape: True Twin
Lamination: Triax
Base: Sintered
Reinforcement: Tasmanian Oak
Flex: Medium
Level: Intermediate/Advanced

Yes Sensei! Sensei is used in Japan when addressing a master to show respect. Our Sensei also deserves respect as it will make you a better rider. It's full poplar core reinforced with tasmanian oak - generates huge pop and power in the turn. Combined with a fast sintered base and excellent edge hold the Sensei is a responsive and fun ride. The medium flex, true twin shape, and Hybrid-Rocker profile are designed for freestyle but also give the Sensei great float in powder. Ridden by most of our team it is an all-mountain board with a freestyle lean. Riding the Sensei you will be the mountain's master.


TECHNOLOGIES




POPLAR WOOD CORE




ABS SIDEWALL




HYBRID ROCKER PROFILE




TRUE TWIN SHAPE




TRIAx LAMINATION




SINTERED BASE



TASMANIAN OAK



HARDENED STEEL EDGES



ULTRA EDGE HOLD

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
155w	304	261	304	1150	8	0	500-620
158w	307	263	307	1180	8,3	0	540-660






SENSEI LIMITED


Type: Allmountain/Freestyle
Lengths: 152mw, 155w, 158, 158w
Profile: Camrock
Shape: True Twin
Lamination: Triax
Base: Sintered
Reinforcement: Beech Stringers
Flex: Medium-Stiff
Level: Intermediate/Advanced

Yes Sensei! Sensei is used in Japan when addressing a master to show respect. Our Sensei also deserves respect as it will make you a better rider. It's full poplar core reinforced with tasmanian oak generates huge pop and power in the turn. Combined with a fast sintered base and excellent edge hold the Sensei is a responsive and fun ride. The medium-stiff flex, true twin shape and camrock profile are designed for freestyle but also give the Sensei great float in powder. Ridden by most of our team it is an all-mountain board with a freestyle lean. Riding the Sensei you will be the mountain's master.


TECHNOLOGIES




POPLAR WOOD CORE




ABS SIDEWALL




CAMROCKER PROFILE




TRUE TWIN SHAPE




TRIAx LAMINATION




SINTERED BASE



BEECH STRINGERS



STURDY EDGE TECH



TRANSPARENT DESIGN

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidcut Radius [m]	Setback [mm]	Stance Range [mm]
152mw	288	246	288	1040	7,8	0	500-620
155w	292	250	292	1060	8,2	0	520-640
158	294	252	294	1090	8,6	0	520-640
158w	307	266	307	1090	8,6	0	520-640






LEGEND

Type: Allmountain/Freestyle
Lengths: 156, 159, 160w, 162mw
Profile: Hybrid Camber
Shape: Twin
Lamination: Triax
Base: Sintered
Flex: Medium-Soft
Level: Intermediate/Advanced

The Legend has all the characteristics of a classic all-mountain board. But it has a milder character than the Draft, which makes it a great choice for intermediate riders. But don't be deceived, experienced riders will find the Legend takes off like a rocket, has great edge hold, good dynamics and nice pop. All at a very reasonable price!


TECHNOLOGIES




POPLAR WOOD CORE



ABS SIDEWALL



HYBRID CAMBER PROFILE




TWIN SHAPE



TRIAx LAMINATION



SINTERED BASE




HARDENED STEEL EDGES

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
156	296	251	296	1210	7.2	10	480-600
159	300	255	300	1230	7.4	10	500-620
160w	310	266	310	1240	7.4	10	500-620
162mw	305	259	305	1250	7.5	10	520-640





CARBON POWDER

Type: Allmountain/Freeride
Lengths: 160W, 164W, 168W
Profile: Camrock + microcamber
Shape: Directional
Lamination: Triax/Carbon
Base: Sintered
Reinforcement: Concave Cross-Profile
Flex: Medium-Stiff
Level: Intermediate/Advanced

The Carbon Series boards have been created for the most demanding riders. The best edge hold, strongest pop and fastest base guarantee these boards have no equal. The unique use of a carbon topsheet reduces vibrations, maintains a medium-stiff flex and provides lots of power. The result is an extremely dynamic board that enables aggressive riding on piste, powder and pipe.

TECHNOLOGIES

POPLAR WOOD CORE

ABS SIDEWALL

CAMROCKER PROFILE

DIRECTIONAL SHAPE

TRIAx LAMINATION

CARBON LAMINATION

SINTERED BASE

CONCAVE CROSS-PROFILE

HARDENED STEEL EDGES

ULTRA EDGE HOLD

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
160W	321	270	320	1120	7	70	500-620
164W	324	272	323	1150	7.5	70	520-640
168W	326	274	325	1180	8	70	520-640






CARBON GOLD


Type: Allmountain/Freeride
Lengths: 156, 159, 160w, 162mw
Profile: Hybrid Camber
Shape: Twin
Lamination: Triax/Carbon
Base: Graphite
Flex: Medium-Stiff
Level: Intermediate/Advanced

The Carbon Series boards have been created for the most demanding riders. The best edge hold, strongest pop and fastest base guarantee these boards have no equal. The unique use of a carbon topsheet reduces vibrations, maintains a medium-stiff flex and provides lots of power. The result is an extremely dynamic board that enables aggressive riding on piste, powder and pipe.


TECHNOLOGIES




POPLAR WOOD CORE



ABS SIDEWALL



HYBRID CAMBER PROFILE



TWIN SHAPE




TRIAx LAMINATION



CARBON LAMINATION



GRAPHITE BASE




HARDENED STEEL EDGES

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
156	296	251	296	1210	7.2	10	480-600
159	300	255	300	1230	7.4	10	500-620
160w	310	266	310	1240	7.4	10	500-620
162mw	305	259	305	1250	7.5	10	520-640





POWDER HERO


Type: Allmountain/Freeride
Lengths: 160mw, 164mw, 169mw
Profile: Hybrid-Camber
Shape: Directional
Lamination: Quadrax
Base: Sintered
Reinforcement: Carbon/Kevlar
Flex: Medium-Stiff
Level: Intermediate/Advanced

It's name says it all. Powder Hero is a directional twin board for an off-piste ride that takes to powder like a duck to water. The longer nose, the parallel carbon stringers and a slightly setback stance make it ideal for deep powder, without losing on-piste performance. Switch riding and drops - the Powder Hero is your perfect powder playmate!

TECHNOLOGIES




POPLAR WOOD CORE



ABS SIDEWALL



HYBRID CAMBER PROFILE



DIRECTIONAL SHAPE



QUADRAX LAMINATION



SINTERED BASE



CARBON REINFORCEMENT



HARDENED STEEL EDGES



TRANSPARENT DESIGN

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
160mw	301	254	295	1220	7,6	30	500-620
164mw	306	258	300	1260	7,8	30	500-620
169mw	311	262	305	1310	8,3	30	520-640













DREAM CATCHER

Type: Allmountain/Freeride
Lengths: 164W, 168W
Profile: Camrock
Shape: Directional
Lamination: Triax
Base: Sintered
Flex: Medium-Stiff
Level: Intermediate/Advanced

If boards could talk, Dream Catcher would be screaming 'Power Alert!'. With a typical freeride swallow tail shape, hybrid profile and really set back stance you know what you are getting with the Dream Catcher. In addition you get a fast and durable sintered base and a subdued but striking graphic. Keep an eye on the weather, because the Dream Catcher will be calling when snow is falling.

TECHNOLOGIES

-  **POPLAR WOOD CORE**
-  **ABS SIDEWALL**
-  **CAMROCKER PROFILE**
-  **DIRECTIONAL SHAPE**
-  **TRIAx LAMINATION**
-  **SINTERED BASE**
-  **HARDENED STEEL EDGES**
-  **ULTRA EDGE HOLD**

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
164W	324	272	323	1150	7.5	70	520-640
168W	326	274	325	1180	8	70	520-640






MISSILE


Type: Allmountain/Freeride
Lengths: 173
Profile: Camrock
Shape: Directional
Lamination: Triax
Base: Sintered
Flex: Medium
Level: Advanced

It is simple, big mountains demand big boards, so Pathron have gone 'all-in' with the Missile creating a 173cm longboard. But the Missile is not just big, it is also unique. The long nose and precisely designed progressive flex, combine with the Missile's length to create spectacular float - leaving you to lay fresh tracks and destroy all opposition. With a unique profile and parabolic shape the Missile has an effective edge of a much shorter board, meaning it holds it's own in icy conditions and on-route to the powder. In a word freeride!


TECHNOLOGIES




POPLAR WOOD CORE




ABS SIDEWALL




CAMROCKER PROFILE




DIRECTIONAL SHAPE



TRIAx LAMINATION



SINTERED BASE



HARDENED STEEL EDGES

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
173	300	255	292	1140	7,7	25	520-640






SCRATCH SPLIT


Type: Allmountain/Freeride
Lengths: 156, 161, 165
Profile: Camrock
Shape: Directional
Lamination: Triax
Base: Sintered
Flex: Medium
Level: Intermediate/Advanced

If boards could talk, Scratch would be screaming 'Power Alert!'. With a typical freeride swallow tail shape, camrock profile and really set back stance you know what you are getting with the Scratch. In addition you get a fast and durable sintered base and a subdued but striking graphic. Keep an eye on the weather, because the Scratch will be calling when snow is falling.


TECHNOLOGIES




POPLAR WOOD CORE




ABS SIDEWALL




CAMROCKER PROFILE




DIRECTIONAL SHAPE




TRIAx LAMINATION



SINTERED BASE



HARDENED STEEL EDGES




TRANSPARENT DESIGN

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
156	293	254	293	1060	9	14	508-661
161	297	258	297	1090	9.5	14	508-661
165	299	260	299	1130	10	14	508-661













GTX SPLIT

Type: Allmountain/Freeride
Lengths: 156, 161, 165
Profile: Camrock
Shape: Directional
Lamination: Triax
Base: Sintered
Flex: Medium
Level: Intermediate/Advanced

If boards could talk, GTX would be screaming 'Power Alert!'. With a typical freeride swallow tail shape, camrock profile and really set back stance you know what you are getting with the GTX. In addition you get a fast and durable sintered base and a subdued but striking graphic. Keep an eye on the weather, because the GTX will be calling when snow is falling.

TECHNOLOGIES

- **POPLAR WOOD CORE**
- **ABS SIDEWALL**
- **CAMROCKER PROFILE**
- **DIRECTIONAL SHAPE**
- **TRIAx LAMINATION**
- **SINTERED BASE**
- **HARDENED STEEL EDGES**
- **TRANSPARENT DESIGN**


BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
156	293	254	293	1060	9	14	508-661
161	297	258	297	1090	9.5	14	508-661
165	299	260	299	1130	10	14	508-661



A dark grey snowboard is shown at an angle, resting on a weathered wooden plank. The snowboard has a white mountain logo in the center. Below the logo, the text "PATHRON SNOWBOARDS" is written in a sans-serif font on a white banner. Underneath the banner, "Carbon Series" is written in a large, elegant script font. At the bottom of the logo area, the word "POWDER" is written in a bold, sans-serif font. The snowboard is equipped with black bindings at both ends. The background is a close-up of the wooden surface, showing its grain and texture.

PATHRON SNOWBOARDS
Carbon Series
POWDER



CARBON POWDER SPLIT

Type: Allmountain/Freeride
Lengths: 156, 161, 165
Profile: Full Rocker
Shape: Directional
Lamination: Triax/Carbon
Base: Sintered
Flex: Medium-Stiff
Level: Advanced

The Carbon Series boards have been created for the most demanding riders. The best edge hold, strongest pop and fastest base guarantee these boards have no equal. The unique use of a carbon topsheet reduces vibrations, maintains a medium-stiff flex and provides lots of power. The result is an extremely dynamic board that enables aggressive riding on piste, powder and pipe.

TECHNOLOGIES




POPLAR WOOD CORE



ABS SIDEWALL



FULL ROCKER



FULL ROCKER PROFILE




DIRECTIONAL SHAPE




TRIAx LAMINATION



CARBON LAMINATION



SINTERED BASE



HARDENED STEEL EDGES

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
156	293	254	293	1060	9	14	508-661
161	297	258	297	1090	9.5	14	508-661
165	299	260	299	1130	10	14	508-661





CARBON GOLD SPLIT

Type: Allmountain/Freeride
Lengths: 156, 161, 165
Profile: Full Rocker
Shape: Directional Twin
Lamination: Triax/Carbon
Base: Graphite
Flex: Medium-Stiff
Level: Advanced

The Carbon Series boards have been created for the most demanding riders. The best edge hold, strongest pop and fastest base guarantee these boards have no equal. The unique use of a carbon topsheet reduces vibrations, maintains a medium-stiff flex and provides lots of power. The result is an extremely dynamic board that enables aggressive riding on piste, powder and pipe.

TECHNOLOGIES

POPLAR WOOD CORE

ABS SIDEWALL

FULL ROCKER PROFILE

DIRECTIONAL TWIN SHAPE

TRIAx LAMINATION

CARBON LAMINATION

GRAPHITE BASE

HARDENED STEEL EDGES

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
156	293	254	293	1060	9	14	508-661
161	297	258	297	1090	9.5	14	508-661
165	299	260	299	1130	10	14	508-661




SOFTCARVER


Type: Carving
Lengths: 160
Profile: Camber
Shape: Directional
Lamination: Triax
Base: Graphite
Reinforcement: Carbon/Kevlar + Power plates
Flex: Medium-Stiff
Level: Intermediate

A perfect machine for learning to carve the turn correctly and efficiently.


TECHNOLOGIES




POPLAR WOOD CORE




ABS SIDEWALL




CLASSIC CAMBER PROFILE




DIRECTIONAL SHAPE




TRIAx LAMINATION




GRAPHITE BASE



CARBON REINFORCEMENT



POWER PLATES



HARDENED STEEL EDGES

BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
160	300	260	300	1252	8,35	20	420-580




FREECARVER


Type: Carving
Lengths: 177
Profile: Camber
Shape: Directional
Lamination: Triax
Base: Graphite
Reinforcement: Carbon/Kevlar + Power plates
Flex: Stiff
Level: Advanced

The ultimate carving machine created for the most demanding riders.


TECHNOLOGIES




POPLAR WOOD CORE




ABS SIDEWALL




CLASSIC CAMBER PROFILE




DIRECTIONAL SHAPE




TRIAx LAMINATION




GRAPHITE BASE



CARBON REINFORCEMENT



POWER PLATES



HARDENED STEEL EDGES


BOARD SPECS

Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
177	277	213	255,6	1648	8-13	113	460-540

SUMMARY


PLAY

146, 150, 153, 155




SLASH

155, 157w




TT

152, 155, 158, 161, 156w, 159w, 162w, 168w




SENSEI BLUE

155w, 158w




SENSEI LIMITED

152mw, 155w, 158, 158w




LEGEND

156, 159, 160w, 162mw




CARBON POWDER

160w, 164w, 168w




CARBON GOLD

162w, 165w, 169w




POWDER HERO

160mw, 164mw, 169mw




DREAM CATCHER

164w, 168w




MISSILE

161, 170w, 171, 181




SCRATCH SPLIT

156, 161, 165




GTX SPLIT

156, 161, 165




CARBON POWDER SPLIT

156, 161, 165




CARBON GOLD SPLIT

156, 161, 165




SOFTCARVER

160



FREECARVER

177



BINDINGS



PATHRON AT

CLASSIC SERIES

Allmountain/Freestyle Bindings

FEATURES:



HIGHBACK FORWARD
LEAN ADJUSTMENT



ASYMMETRICAL
HIGHBACK



HIGHBACK ROTATION
ADJUSTMENT



ALUMINIUM
BUCKLES



4X4 MOUNT
SYSTEM



MULTI
CAP-STRAP



3D ULTRALIGHT TECH
CAP-STRAP



3D
ANKLE STRAP



COMPOSITE
BASE



FOOT BED
RUBBER PADS



ADJUSTABLE
FRONT GAS PEDAL



MEDIUM
BINDINGS
FLEX

SIZES: L/XL



PATHRON CT

CLASSIC SERIES

Allmountain/Freeride Bindings

FEATURES:



HIGHBACK FORWARD
LEAN ADJUSTMENT



ASYMMETRICAL
HIGHBACK



HIGHBACK ROTATION
ADJUSTMENT



ALUMINIUM
BUCKLES



4X4 MOUNT
SYSTEM



MULTI
CAP-STRAP



3D ULTRALIGHT TECH
CAP-STRAP



3D
ANKLE STRAP



COMPOSITE
BASE



FULLY PADDED
FOOT BED



ADJUSTABLE
FRONT GAS PEDAL



MEDIUM-STIFF
BINDINGS
FLEX

SIZES: L/XL



PATHRON ST

FASTEC SYSTEM SERIES

Allmountain/Freestyle Bindings

FEATURES:



REAR ENTRY



HIGHBACK FORWARD LEAN ADJUSTMENT



ASYMMETRICAL HIGHBACK



HIGHBACK ROTATION ADJUSTMENT



COMPOSITE BUCKLES



MICRO BUCKLES



4X4 MOUNT SYSTEM



THE CHANNEL MOUNT SYSTEM



CAP-STRAP



3D ADVANCED FIT CAP-STRAP



3D ANKLE STRAP



INVERTED ANKLE STRAP



COMPOSITE BASE



FULLY PADDED FOOT BED



MEDIUM-SOFT BINDINGS FLEX

SIZES:

L

XL



PATHRON BINDINGS

PATHRON XT

FASTEC SYSTEM SERIES

Allmountain/Freestyle Bindings

FEATURES:



REAR ENTRY



HIGHBACK FORWARD LEAN ADJUSTMENT



ASYMMETRICAL HIGHBACK



HIGHBACK ROTATION ADJUSTMENT



COMPOSITE BUCKLES



MICRO BUCKLES



4X4 MOUNT SYSTEM



THE CHANNEL MOUNT SYSTEM



CAP-STRAP



3D ADVANCED FIT CAP-STRAP



3D ANKLE STRAP



ULTRALIGHT ANKLE STRAP



COMPOSITE BASE



FULLY PADDED FOOT BED



MEDIUM-SOFT BINDINGS FLEX

SIZES:

M

L

XL



PATHRON GT ALU

MULTIENTRY

FASTEC SYSTEM SERIES

Allmountain/Freeride Bindings

FEATURES:



REAR ENTRY



HIGHBACK FORWARD LEAN ADJUSTMENT



ASYMMETRICAL HIGHBACK



HIGHBACK ROTATION ADJUSTMENT



COMPOSITE BUCKLES



MICRO BUCKLES



4X4 MOUNT SYSTEM



CAP-STRAP



3D ADVANCED FIT CAP-STRAP



3D ANKLE STRAP



ULTRALIGHT ANKLE STRAP



ALUMINIUM BASE



FULLY PADDED FOOT BED



ADJUSTABLE HEEL CUP



BINDINGS FLEX

SIZES:

L

XL

PATHRON GT ALU

SPLIT MULTIENTRY

FASTEC SYSTEM SERIES

Splitboard Bindings

FEATURES:



REAR ENTRY



HIGHBACK FORWARD LEAN ADJUSTMENT



ASYMMETRICAL HIGHBACK



HIGHBACK ROTATION ADJUSTMENT



COMPOSITE BUCKLES



MICRO BUCKLES



4X4 MOUNT SYSTEM



CAP-STRAP



3D ADVANCED FIT CAP-STRAP



3D ANKLE STRAP



ULTRALIGHT ANKLE STRAP



ALUMINIUM BASE



FULLY PADDED FOOT BED



ADJUSTABLE HEEL CUP



BINDINGS FLEX

SIZES:

L

XL

PATHRON BINDINGS



PATHRON EVO PADDED

SNOWBOARD LUGGAGE CARRY CASE

FEATURES:

- ▶ Adjustable, removable shoulder strap
- ▶ Fully padded base
- ▶ Carrying handle
- ▶ Heavy duty zippers
- ▶ Side zipper pocket to store Tools/Spare parts

SIZES: 155cm 168cm





PATHRON TEAM RIDERS



PIOTR TOKARCZYK TEAM RIDER

MARCIN KOZIENSKI TEAM RIDER

ALFREDO ESTEBAN OCÓN TEAM RIDER

PETR ZVERINA TEAM RIDER

MARTIN ELLIOTT TEAM RIDER

ARKADIUSZ CHMIEL AMBASSADOR

THOMAS RICH AMBASSADOR

PIOTR DABOV AMBASSADOR



PATHRON

S N O W B O A R D S



www.snowboardpascher.com

e-mail: infos@snowboardpascher.com

tel: +33 0805 030 090



PATHRON

